Author Index

Alam, S., Stevens, D. and Bajpai, R.
Production of butyric acid by batch fermentation of cheese whey with *Clostridium beijerinckii*, 359
Amund, O.O. and Ogunsina, O.A.
Extracellular amylase production by cassava-fermenting bacteria, 123
Andrykovitch, G. and Neihof, R.A.
Fuel-soluble biocides for control of *Cladosporium resinae* in hydrocarbon fuels, 35
Arnaud, A., see Bernet, N., 129

Babeu, L. and Vaishnav, D.D.
Prediction of biodegradability for selected organic chemicals, 107
Backman, K.C., see Miller, J.E., 143
Bailey, F.J., Blankenship, J., Condra, J.H., Maigetter, R.Z. and Ellis, R.W.
High-cell-density fermentation studies of a recombinant *E. coli* that expresses atrial natriuretic factor, 47
Bajpai, R., see Alam, S., 359
Banko, G., see Zhang, J.-y., 251
Berlier, Y.M., see Fauque, G.D., 15
Bernet, N., Thiéry, A., Maestracci, M., Arnaud, A., Rios, G.M. and Galzy, P.
Continuous immobilized cell reactor for amide hydrolysis, 129
Bhowmik, T., Johnson, M.C. and Ray, B.
Factors influencing synthesis and activity of β-galactosidase in *Lactobacillus acidophilus*, 1
Bhunia, A.K., Johnson, M.C. and Ray, B.
Direct direction of an antimicrobial peptide of *Pediococcus acidilactici* in sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 319
Blankenship, J., see Bailey, F.J., 47
Bock, E., see Kerger, B.D., 63
Bradley, S.G., see Liechty, M.C., 71
Butler, B.J. and Kempton, A.G.
Growth of *Thiobacillus ferrooxidans* on solid media containing heterotrophic bacteria, 41

Carey, C.K., see Subden, R.E., 159
Carey, C.K., see Charlebois, R.L., 167
Carty, C.E., Kovach, F.X., McAleer, W.J. and Maigetter, R.Z.
Fermentation of recombinant yeast producing hepatitis B surface antigen, 117
Celmer, W.D., see Cullen, W.P., 349
Chandra, T.S., see Soundar, S., 257
Chappel, L.R., see Cullen, W.P., 349
Charlebois, R.L., Subden, R.E. and Carey, K.
Selection in yeast. II: The fitness distribution of new mutations in *Saccharomyces cerevisiae* and its use in a computer simulation, 167
Charlebois, R.L., see Subden, R.E., 159
Choma, C., see Evans, C.T., 53
Cole, M.B. and Keenan, M.H.J.
A quantitative method for predicting shelf life of soft drinks using a model system, 59
Condra, J.H., see Bailey, F.J., 47
Cooney, J.J., see Pettibone, G.W., 373
Costerton, J.W., see Cusack, F., 329
Cullen, W.P., Celmer, W.D., Chappel, L.R., Huang, L.H., Jefferson, M.T., Ishiguro, M., Maeda, H., Nishiyama, S., Oscarson, J.R., Shibakawa, R. and Tone, J.
CP-61,405, a novel polycyclic pyrrolether antibiotic produced by *Streptomyces routienii* Huang sp. nov, 349
Cusack, F., Lappin-Scott, H.M. and Costerton, J.W.
Effects of biocide treatment and backflow pressure on the permeability of microbially fouled model cores, 329
Czechowski, M.H., see Fauque, G.D., 15

D'Amore, T., Panchal, C.J., Russell, I. and Stewart, G.G.
Osmotic pressure effects and intracellular accumulation of ethanol in yeast during fermentation, 365
Demain, A.L., see Sakajoh, M., 201
Demain, A.L., see Zhang, J.-y., 251
Dimon, B., see Fauque, G.D., 15

Elder, E.D., Worley, S.D. and Williams, D.E.
pH dependence of the in situ formation of an organic *N*-chloramine water disinfectant, 229
Ellis, R.W., see Bailey, F.J., 47
Evans, C.T., Choma, C., Peterson, W. and Misawa, M.
Effect of glycerol, polyethylene glycol and glutaraldehyde on stability of phenylalanine ammonia-lyase activity in yeast, 53

Fauque, G.D., Berlier, Y.M., Czechowski, M.H., Dimon, B., Lespinat, P.A. and LeGall, J.
A proton-deuterium exchange study of three types of *Desulfovibrio* hydrogenases, 15
Fenton, D., see Tsai, L.B., 181

Gallagher, D.J., see Han, Y.W., 195
Galzy, P., see Bernet, N., 129
Gledhill, W.E. and Saeger, V.W.
Degradation of sodium polyglyoxylate, a non-persistent metal sequestrant, in laboratory ecosystems, 97

Hamid, A.B. and Smith, J.E.
The involvement of cytochrome *P*-450 monooxygenase system in aflatoxin biosynthesis by *Aspergillus flavus*, 137

Han, Y.W., Gallagher, D.J. and Wilfred, A.G.
Phytase production by *Aspergillus ficuum* on semisolid substrate, 195
Hatch, R.T., see Miller, J.E., 143
Heisey, R.M., see Mishra, S.K., 267
Holzer, G.U., see Suen, Y., 337
Hong, K., Park, D.-H., Tanner, R.D., Reed, W.M. and Malaney, G.W.
Optically monitoring Baker's yeast (*Saccharomyces cerevisiae*) growing in an air-fluidized/expanded potato starch matrix, 187
Huang, L.H., see Cullen, W.P., 349
Hubbard, J.S., see Suen, Y., 337
Huber, F.M., Pieper, R.L. and Mertz, F.P.
Sporulation of *Streptomyces roseosporus* in submerged culture, 235
Hunt, H.R., see Shay, L.K., 79

Ishiguro, M., see Cullen, W.P., 349

Jefferson, M.T., see Cullen, W.P., 349
Johnson, M.C., see Bhowmik, T., 1
Johnson, M.C., see Bhunia, A.K., 319

Karim, M.N. and Traugh, G.
Data acquisition and control of a continuous fermentation unit, 305
Kasweck, K.L., see Liechty, M.C., 71
Keenan, M.H.J., see Cole, M.B., 59
Keller, J.E., see Mishra, S.K., 267
Kempton, A.G., see Butler, B.J., 41
Kerger, B.D., Nichols, P.D., Sand, W., Bock, E. and White, D.C.
Association of acid-producing thiobacilli with degradation of concrete: analysis by 'signature' fatty acids from the polar lipids and lipopolysaccharide, 63
Klapko, L.M., see MacNeil, D.J., 209
Kothari, R.M., see Shah, D.N., 175
Kovach, F.X., see Carty, C.E., 117
Kumarasingham, S., see Shales, S.W., 219
Kurusu, Y., see Yukawa, H., 323

Lappin-Scott, H.M., see Cusack, F., 329
Lautier, M. and Novel, G.
DNA-DNA hybridizations among lactic streptococcal temperate and virulent phages belonging to distinct lytic groups, 151
LeGall, J., see Fauque, G.D., 15
Lechevalier, H.A., see Meyertons, J.L., 293
Lechevalier, M.P., see Meyertons, J.L., 293
Lespinat, P.A., see Fauque, G.D., 15
Liechty, M.C., Bradley, S.G. and Kasweck, K.L.
Genetic recombination by protoplast fusion in *Nocardia asteroides*, 71

MacNeil, D.J. and Klapko, L.M.
Transformation of *Streptomyces avermitilis* by plasmid DNA, 209
Maeda, H., see Cullen, W.P., 349
Maestracci, M., see Bernet, N., 129
Maigetter, R.Z., see Bailey, F.J., 47
Maigetter, R.Z., see Carty, C.E., 117
Malaney, G.W., see Hong, K., 187
Mann, M., see Tsai, L.B., 181
McAleer, W.J., see Carty, C.E., 117
Mertz, F.P., see Huber, F.M., 235
Meyertons, J.L., Tilley, B.C., Lechevalier, M.P. and Lechevalier, H.A.
Actinophages and restriction enzymes from *Micromonospora* species (Actinomycetales), 293
Miller, J.E., Backman, K.C., O'Connor, M.J. and Hatch, R.T.
Production of phenylalanine and organic acids by phospho-*enol*pyruvate car boxylase-deficient mutants of *Escherichia coli*, 143
Miller, J.R., see Mishra, S.K., 267
Misawa, M., see Evans, C.T., 53
Mishra, S.K., Keller, J.E., Miller, J.R., Heisey, R.M., Nair, M.G. and Putnam, A.R.
Insecticidal and nematicidal properties of microbial metabolites, 267
Morris, F., see Tsai, L.B., 181

Nair, M.G., see Mishra, S.K., 267
Nakas, J.P., see Royer, J.C., 9
Neihof, R.A., see Andrykovitch, G., 35
Nichols, P.D., see Kerger, B.D., 63
Nishiyama, S., see Cullen, W.P., 349
Novel, G., see Lautier, M., 151

O'Connor, M.J., see Miller, J.E., 143
Ogunsina, O.A., see Amund, O.O., 123
Oscarson, J.R., see Cullen, W.P., 349

Panchal, C.J., see D'Amore, T., 365
Park, D.-H., see Hong, K., 187
Peterson, W., see Evans, C.T., 53
Pettibone, G.W. and Cooney, J.J.
Toxicity of methyltins to microbial populations in estuarine sediments, 373
Pieper, R.L., see Huber, F.M., 235
Polansky, M.J., see Zabriskie, D.W., 87
Putnam, A.R., see Mishra, S.K., 267

Ray, B., see Bhowmik, T., 1
Ray, B., see Bhunia, A.K., 319
Reed, W.M., see Hong, K., 187
Rios, G.M., see Bernet, N., 129
Rotgers, C., see Tsai, L.B., 181
Royer, J.C. and Nakas, J.P.

Production of mycelial protein and hydrolytic enzymes from paper mill sludges by cellulolytic fungi, 9
Russell, I., see D'Amore, T., 365

Saeger, V.W., see Gledhill, W.E., 97
Sakajoh, M., Solomon, N.A. and Demain, A.L.
Cell-free synthesis of the dipeptide antibiotic bacilysin, 201
Sand, W., see Kerger, B.D., 63
Sandine, W.E., see Tsai, H.-J., 25
Seaton, J.J., see Wang, H.Y., 243
Shah, D.N., Shah, N.K. and Kothari, R.M.
Isolation of a transglucosidase-nonproducing mutant of *Aspergillus awamori* yielding improved quality and production of amyloglucosidase preparations, 175
Shah, N.K., see Shah, D.N., 175
Shales, S.W. and Kumarasingham, S.
Bacterial transport through porous solids: interactions between *Micrococcus luteus* cells and sand particles, 219
Shay, L.K., Hunt, H.R. and Wegner, G.H.
High-productivity fermentation process for cultivating industrial microorganisms, 79
Shibakawa, R., see Cullen, W.P., 349
Shimazu, M., see Yukawa, H., 323
Singer, S., see Williston, B.K., 285
Smith, J.E., see Hamid, A.B., 137
Solomon, N.A., see Sakajoh, M., 201
Soundar, S. and Chandra, T.S.
Cellulose degradation by a mixed bacterial culture, 257
Stevens, D., see Alam, S., 359
Stewart, G.G., see D'Amore, T., 365
Subden, R.E., Charlebois, R.L. and Carey, C.K.
Selection in yeast. I. Assessing genetic stability and relative fitness of commercial yeasts, 159
Subden, R.E., see Charlebois, R.L., 167
Suen, Y., Holzer, G.U., Hubbard, J.S. and Tornabene, T.G.
Biosynthesis of acyclic methyl branched polyunsaturated hydrocarbons in *Pseudomonas maltophilia*, 337

Tanner, R.D., see Hong, K., 187
Terasawa, M., see Yukawa, H., 323
Thiéry, A., see Bernet, N., 129
Tilley, B.C., see Meyertons, J.L., 293
Tone, J., see Cullen, W.P., 349
Tornabene, T.G., see Suen, Y., 337
Traugh, G., see Karim, M.N., 305
Tsai, H.-J. and Sandine, W.E.
Conjugal transfer of lactose-fermenting ability from *Streptococcus lactis* C2 to *Leuconostoc cremoris* CAF7 yields *Leuconostoc* that ferment lactose and produce diacetyl, 25
Tsai, L.B., Mann, M., Morris, F., Rotgers, C. and Fenton, D.
The effect of organic nitrogen and glucose on the production of recombinant human insulin-like growth factor in high cell density *Escherichia coli* fermentations, 181

Vaishnav, D.D., see Babeu, L., 107

Wallis, D.A., see Yousten, A.A., 277
Wang, H.Y. and Seaton, J.J.
Increased sensitivity and discrimination in screening through an immobilized-resin microbiological assay method, 243
Wareheim, D.A., see Zabriskie, D.W., 87
Wegner, G.H., see Shay, L.K., 79
White, D.C., see Kerger, B.D., 63
Wilfred, A.G., see Han, Y.W., 195
Williams, D.E., see Elder, E.D., 229
Williston, B.K. and Singer, S.
Initial studies of the use of aminopeptidases for the differentiation of *Bacillus sphaericus* strains, 285
Wolfe, S., see Zhang, J.-y., 251
Worley, S.D., see Elder, E.D., 229

Yamagata, H., see Yukawa, H., 323
Yousten, A.A. and Wallis, D.A.
Batch and continuous culture production of the mosquito larval toxin of *Bacillus sphaericus* 2362, 277
Yukawa, H., Kurusu, Y., Shimazu, M., Yamagata, H. and Terasawa, M.
Stabilization of an *E. coli* plasmid by a mini-F fragment of DNA, 323

Zabriskie, D.W., Wareheim, D.A. and Polansky, M.J.
Effects of fermentation feeding strategies prior to induction of expression of a recombinant malaria antigen in *Escherichia coli*, 87
Zhang , J.-y., Banko, G., Wolfe, S. and Demain, A.L.
Methionine induction of ACV synthetase in *Cephalosporium acremonium*, 251

Subject Index

Acetate, 143
Acetone/butanol, 359
Acid-producing bacteria, 63
Actinomycetales, 293
Actinophage, 293
ACV accumulation, 251
Aflatoxin, 137
Air-fluidized fermentation, 187
Alanine, 201
Amide hydrolysis, 129
Amylase, 123
Amyloglucosidase production, 175
Anaerobic corrosion, 15
Antibiotic, 243
Anticapsin, 201
Anticoccidial agent, 349
Antimicrobial peptide, 319
Arthrobacter, 257
Aspergillus awamori, 175
Aspergillus ficuum, 195
Atrial natriuretic factor (ANF), 47

Bacillus sphaericus, 277, 285
Bacillus subtilis, 201
Bacilysin, 201
Bacteria, 79, 123
Bacteriophage, 151
Bioassay, 243
Biocide, 35
Biodegradation, 97
Biodegradation model, 107
Biomass, 257
Bioscreening, 243
Biosynthesis, 337
BOD, 107
Brevibacterium, 129
°Brix, 59
Butyric acid, 359

Cassava, 123
Catellatospora, 293
Cell attachment, 219
Cell immobilization, 129
Cellulase, 9
Cellulomonas, 257
Cheese whey, 359
Chlorination rate, 229
Chlorine, combined, 229
Chlorine, free, 229
trans-Cinnamic acid conversion, 53
Cladosporium resinae, 35
Computer control, 305
Computer simulation, 167
Concrete biodegradation, 63
Conjugation, 25, 71
Continuous culture, 277
Continuous fermentation, 305
Cotransformation, 209
CP-61,405, 349
Cytochrome *P*-450 monooxygenase, 137

Data acquisition, 305
Dendrogram, 285
Desulfovibrio, 15
Detergent builder, 97
Diacetyl, 25
Differentiation, 235
Dimethyl sulfoxide, 209
Dipeptide synthesis, 201
Divalent cation, 1
DNA homology, 151

Enhanced oil recovery, 329
Enzyme function, 1
Escherichia coli, 47, 87, 181
Estuarine microorganism, 373
Expression of recombinant proteins, 87

Fatty acid, 63, 337
Fermentation, 47, 87, 117, 181, 187
Fermentation software, 305
Ferrous iron agar, 41
Fitness distribution, 167
Fluidized bed reactor, 129
Fuel, 35
Fungi, 35
Fusion protein expression, 47

Genetic recombination, 71
Genetic stability, 159
Group N streptococci, 151
Growth factor, 257

Heat transfer, 79
Hepatitis B surface antigen, 117
High cell density, 47, 79
Hydrocarbon, 337
Hydrogenase, 15
Hydroxy-cyclopropyl fatty acid, 63

Inducible β-galactosidase, 1
Industrial chemical, 107
Insecticidal antibiotic, 267
Insecticidal strain, 285
Intracellular ethanol, 365
Iron-oxidizer detection, 41
Isothiazolone, 35, 329

Laboratory ecosystem, 97
β-Lactam production, 251
Lactobacillus acidophilus, 1
Lignocellulose, 257
Lignocellulosic waste, 9
Lipid, 337

Malaria vaccine, 87
Membrane-inlet mass-spectrometry, 15
Methionine effect, 251
Methoxy fatty acid, 63
Methyltin, 373
Microbial anthelmintic, 267
Microbial enhanced oil recovery, 219
Microbial insecticide, 277, 285
Microbial pesticide, 267
Micromonospora, 293
Mini-F, 323
Mosquito, 277
Mosquito toxin, 277
Multilocus pattern, 285
Mutation, 167

Nocardia asteroides, 71
Novel actinomycete, 267
Nutrient, 365

Oil recovery, 329
Organotin, 373
Osmotic pressure, 365
Oxygen transfer, 79

Pediococcus acidilactici, 319
pH, 15, 59, 123
pH strategy, 359
Phenobarbital, 137
Phenylalanine production, 53
Phytase, 195
Phytic acid, 195
Plasmid, 25, 209
Plasmid maintenance, 323
Plate count, 41
Polyacrylamide gel electrophoresis, 285
Polyethylene glycol, 209
Polymeric resin, 243
ppc, 143
Process control, 87
Production, 181
Proton-deuterium exchange, 15
Protoplast fusion, 71
Protoplast regeneration, 71
Pseudomonas, 337
Pyrrolether, 349
Pyruvate, 143

Recombinant DNA, 117
Recombinant *E. coli*, 47
Recombinant human insulin-like growth factor, 181
Reproductive fitness, 159
Restriction-modification system, 293

Saccharomyces cerevisiae, 159, 167, 187, 365
Sandpack, 219
SDS-PAGE, 319
Selection, 159, 167
Semi-solid fermentation, 187
Signature lipid, 63
Single cell protein production, 9
Sodium polyglyoxylate, 97
Solid state fermentation, 195
Somatomedin C, 181
Southern-blot hybridization, 25
Spoilage, 59
Staphylococcus aureus, 229
Starch, 123
Streptomyces, 209
Streptomyces roseosporus, 235
Streptomyces routienii Huang sp. nov., 349
Structure-biodegradation, 107
Submerged sporulation, 235
Symbiosis, 257
Synergism, 59
Synthesis, 137

Temperature, 123
Thiobacilli, 63
Thiobacilli, acidophilic, 41
Tin, 373
Transconjugant, 25
Transformation, 209
Transglucosidase-nonproducing mutant, 175
Trichoderma, 9
L-Tryptophan production, 323
Tryptophan synthase, 323

Water flooding, 329

Xylanase, 9

Yeast, 59, 79, 159, 167, 365
Yeast cell concentration in starch, 187

Zygosaccharomyces, 59